



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/058,963	01/28/2002	Andras Guttman	1360.038US1	4487

23483 7590 05/13/2003

HALE AND DORR, LLP
60 STATE STREET
BOSTON, MA 02109

EXAMINER

STARSIK, JOHN S

ART UNIT	PAPER NUMBER
----------	--------------

1753

DATE MAILED: 05/13/2003

9

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/058,963

Applicant(s)

Guttman et al.

Examiner

J. STARSIAK

Group Art Unit

1753

—The MAILING DATE of this communication appears on the cover sheet beneath the correspondence address—

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, such period shall, by default, expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- ☒ Responsive to communication(s) filed on 28 January 2002
- ☐ This action is **FINAL**.
- ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

Disposition of Claims

- ☒ Claim(s) 1-44 is/are pending in the application.
- Of the above claim(s) _____ is/are withdrawn from consideration.
- ☐ Claim(s) _____ is/are allowed.
- ☐ Claim(s) _____ is/are rejected.
- ☐ Claim(s) _____ is/are objected to.
- ☒ Claim(s) 1-44 are subject to restriction or election requirement

Application Papers

- ☐ The proposed drawing correction, filed on _____ is ☐ approved ☐ disapproved.
- ☐ The drawing(s) filed on _____ is/are objected to by the Examiner
- ☐ The specification is objected to by the Examiner.
- ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119 (a)-(d)

- ☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119 (a)-(d).
- ☐ All ☐ Some* ☐ None of the:
- ☐ Certified copies of the priority documents have been received.
- ☐ Certified copies of the priority documents have been received in Application No. _____
- ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a))

*Certified copies not received: _____

Attachment(s)

- ☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). _____ ☐ Interview Summary, PTO-413
- ☐ Notice of Reference(s) Cited, PTO-892 ☐ Notice of Informal Patent Application, PTO-152
- ☐ Notice of Draftsperson's Patent Drawing Review, PTO-948 ☐ Other _____

Office Action Summary

Art Unit: 1753

DETAILED ACTION

Election/Restriction

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claim 1-20 and 33-44, drawn to an capillary electrophoretic apparatus, classified in class 204, subclass 601 .
- II. Claims 21-32, drawn to a method of separation, classified in class 436, subclass 174.

Inventions II and I are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the process can be practiced by another materially different apparatus. Specifically, claim 1 and claim 33 recite “ a power supply having a first electrode and a second electrode adapted to create an electric field between the first end and the second end.” Claim 21 recites, “generating a migratory field in the separation pathway;”. Hence the process could be practiced with apparatus different from electrophoresis apparatus. The specification teaches using a pressure differential to create a migratory field.

Art Unit: 1753

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

A telephone call was made to Ann-Louise Kerner on 08 May 2003 to request an oral election to the above restriction requirement, but did not result in an election being made. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).


Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(I).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John S. Starsiak Jr. whose telephone number is (703) 308-1797. The examiner can normally be reached on Monday to Wednesday from 8:00 AM to 3:30 PM and on Thursday and Friday from 8:00 AM to 12:00 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen, can be reached on (703) 308-3322. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9310.

Art Unit: 1753

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.



NAM NGUYEN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700



John S. Starsiak Jr.

08 May 2003